



Pacira Pharmaceuticals Statement on FDA Advisory Committee for EXPAREL® for Use as a Nerve Block to Produce Regional Analgesia

February 15, 2018

Company working with FDA toward April 6, 2018 PDUFA date

PARSIPPANY, N.J., Feb. 15, 2018 (GLOBE NEWSWIRE) -- Pacira Pharmaceuticals, Inc. (NASDAQ:PCRX), announced today that the U.S. Food and Drug Administration's (FDA) Anesthetic and Analgesic Drug Products Advisory Committee did not reach a unanimous decision on the efficacy and safety of the use of EXPAREL® (bupivacaine liposome injectable suspension) as a nerve block to produce regional analgesia. The committee's feedback will be considered by the FDA in its review of the company's sNDA seeking expansion of the EXPAREL label. The Prescription Drug User Fee Act (PDUFA) date for completion of the review is April 6, 2018.

Four committee members voted to recommend FDA approval of the EXPAREL sNDA while six believed that more research is needed to further support the proposed new indication.

"We remain confident that the data from our clinical program provides all of the necessary information to support expansion of the current EXPAREL label for infiltration to also include use as a nerve block for regional analgesia," said Dave Stack, chairman and chief executive officer at Pacira Pharmaceuticals. "We look forward to working with the FDA to address any outstanding questions as we move through the sNDA review process toward our ultimate goal of offering additional flexibility in the way EXPAREL can be administered so that clinicians and patients alike have increased opportunity to realize the benefits of long-lasting non-opioid pain control."

The sNDA filing is based on positive data from a Phase 3 study of EXPAREL in femoral nerve block for total knee arthroplasty (lower extremity) and a Phase 3 study of EXPAREL in brachial plexus block for shoulder surgeries (upper extremity). It includes data from eight company-sponsored studies with safety and pharmacokinetic data through 120 hours. In addition, the sNDA includes data from two investigator-initiated studies that provide additional experience in smaller, peripheral nerve block settings.

EXPAREL is currently indicated for infiltration into the surgical site to produce postsurgical analgesia and has been used in over 3.5 million patients across the United States.

About Pacira

Pacira Pharmaceuticals, Inc. (NASDAQ:PCRX) is a specialty pharmaceutical company dedicated to advancing and improving postsurgical outcomes for acute care practitioners and their patients. The company's flagship product, EXPAREL® (bupivacaine liposome injectable suspension) was commercially launched in the United States in April 2012. EXPAREL utilizes DepoFoam®, a unique and proprietary product delivery technology that encapsulates drugs without altering their molecular structure, and releases them over a desired period of time. To learn more about Pacira, including the corporate mission to reduce overreliance on opioids, visit www.pacira.com.

About EXPAREL®

EXPAREL (bupivacaine liposome injectable suspension) is currently indicated for single-dose infiltration into the surgical site to produce postsurgical analgesia. The product combines bupivacaine with DepoFoam®, a proven product delivery technology that delivers medication over a desired time period. EXPAREL represents the first and only multivesicular liposome local anesthetic that can be utilized in the peri- or postsurgical setting. By utilizing the DepoFoam platform, a single dose of EXPAREL delivers bupivacaine over time, providing significant reductions in cumulative pain score with up to a 45 percent decrease in opioid consumption; the clinical benefit of the opioid reduction was not demonstrated. Additional information is available at www.EXPAREL.com.

Important Safety Information

EXPAREL is contraindicated in obstetrical paracervical block anesthesia. In clinical trials, the most common adverse reactions (incidence $\geq 10\%$) following EXPAREL administration were nausea, constipation, and vomiting. EXPAREL is not recommended to be used in the following patient population: patients <18 years old and/or pregnant patients. Because amide-type local anesthetics, such as bupivacaine, are metabolized by the liver, EXPAREL should be used cautiously in patients with hepatic disease. Patients with severe hepatic disease, because of their inability to metabolize local anesthetics normally, are at a greater risk of developing toxic plasma concentrations. EXPAREL is not recommended for the following types or routes of administration: epidural, intrathecal, regional nerve blocks, or intravascular or intra-articular use. Non-bupivacaine-based local anesthetics, including lidocaine, may cause an immediate release of bupivacaine from EXPAREL if administered together locally. The administration of EXPAREL may follow the administration of lidocaine after a delay of 20 minutes or more. Formulations of bupivacaine other than EXPAREL should not be administered within 96 hours following administration of EXPAREL. Central Nervous System (CNS) Reactions: There have been reports of adverse neurologic reactions with the use of local anesthetics. These include persistent anesthesia and paresthesias. CNS reactions are characterized by excitation and/or depression. Cardiovascular System Reactions: Toxic blood concentrations depress cardiac conductivity and excitability which may lead to dysrhythmias sometimes leading to death. Allergic Reactions: Allergic-type reactions (eg, anaphylaxis and angioedema) are rare and may occur as a result of hypersensitivity to the local anesthetic or to other formulation ingredients. Chondrolysis: There have been reports of chondrolysis (mostly in the shoulder joint) following intra-articular infusion of local anesthetics, which is an unapproved use.

Forward Looking Statements

Any statements in this press release about the company's future expectations, plans, outlook and prospects, and other statements containing the words "believes," "anticipates," "plans," "estimates," "expects," "intends," "may" and similar expressions, constitute forward-looking statements within the meaning of The Private Securities Litigation Reform Act of 1995. Actual results may differ materially from those indicated by such forward-looking statements as a result of various important factors, including risks relating to: the success of the company's sales and manufacturing efforts in support of the commercialization of EXPAREL; the rate and degree of market acceptance of EXPAREL and the company's other products; the size and growth of the potential markets for EXPAREL and the company's ability to serve those markets; the company's plans to expand the use of EXPAREL to

additional indications and opportunities, and the timing and success of any related clinical trials; the related timing and success of United States Food and Drug Administration supplemental New Drug Applications; the outcome of the U.S. Department of Justice inquiry; the company's plans to evaluate, develop and pursue additional DepoFoam-based product candidates; clinical trials in support of an existing or potential DepoFoam-based product; the company's commercialization and marketing capabilities; the company's and Patheon UK Limited's ability to successfully and timely construct dedicated EXPAREL manufacturing suites; and other factors discussed in the "Risk Factors" of the company's most recent Annual Report on Form 10-K for the fiscal year ended December 31, 2016 and in other filings that the company periodically makes with the SEC. In addition, the forward-looking statements included in this press release represent the company's views as of the date of this press release. Important factors could cause actual results to differ materially from those indicated or implied by forward-looking statements, and as such the company anticipates that subsequent events and developments will cause its views to change. However, while the company may elect to update these forward-looking statements at some point in the future, it specifically disclaims any obligation to do so. These forward-looking statements should not be relied upon as representing the company's views as of any date subsequent to the date of this press release.

Company Contact:

Pacira Pharmaceuticals, Inc.
Susan Mesco, (973) 451-4030
susan.mesco@pacira.com

Media Contact:

Coyne Public Relations
Alyssa Schneider, (973) 588-2270
aschneider@coynepr.com



Pacira Pharmaceuticals, Inc.